Extrait du Rhuthmos http://rhuthmos.eu/spip.php?article217

Social rhythm regularity and the onset of affective episodes in bipolar spectrum individuals

- Recherches - Le rythme dans les sciences et les arts contemporains - Psychiatrie -



Social rhythm regularity and the onset of affective episodes in bipolar spectrum individuals

On trouvera ci-dessous la présentation d'un article de Gail H. C. Shen, Lauren B. Alloy, Lyn Y. Abramson et Louisa G. Sylvia, sur le rôle des rythmes de vie dans les troubles maniaco-dépressifs. Pour l'article complet (mis en ligne pour la première fois le 30 avril 2008), voir le site de la revue <u>Bipolar Disorders</u>.

Objectives : Research suggests that bipolar disorder individuals may have less social rhythm regularity than normal controls and that this may contribute to their affective symptoms and episodes. This study examined whether regularity prospectively predicted time to onset of major depressive, hypomanic and manic episodes in a sample with bipolar spectrum disorders.

Methods : We recruited 414 undergraduate students from Temple University and University of Wisconsin diagnosed with cyclothymia, bipolar II disorder, or with no affective disorder (normal controls). Participants completed the Social Rhythm Metric at Time 1 and structured interviews approximately every four months for an average follow-up period of 33 months.

Results : Participants diagnosed with cyclothymia and bipolar II disorder reported significantly fewer regular activities than normal controls, and approximately half of these participants experienced a worsening course of their illness over the study duration. Survival analyses indicated that both diagnosis and social rhythm regularity significantly predicted the time to participants' first prospective onset of major depressive, hypomanic and manic episodes.

Conclusion : Consistent with the social zeitgeber theory, bipolar spectrum participants reported less social rhythm regularity than normal controls, which prospectively predicted the survival time to affective episodes.

Keywords : affective episodes ; bipolar disorder ; social rhythms